

TroytecDumps

👤 LOGIN / REGISTER | 🛒 MY CART (4) 🔍

WELCOME TO TROYTECDUMPS

The best real exam dumps & high-quality Troytec review files



TroytecDumps offering all the real Exam dumps and Troytec review files for exam certifications for most international largest companies. The pass rate for some company is reach to 100%. The average pass rate of Exam dumps is 99.39%.



Quality and Value

TroytecDumps Practice Exams are written to the highest standards of technical accuracy, using only certified subject matter experts and published authors for development - no all dumps.



Tested and Approved

We are committed to the process of vendor and third party approvals. We believe professionals and executives alike deserve the confidence of quality coverage these authorizations provide.



Easy to Pass

If you prepare for the exams using our TroytecDumps testing engine, It is easy to succeed for all certifications in the first attempt. You don't have to deal with all dumps or any free torrent / rapidshare all stuff.



Try Before Buy

TroytecDumps offers free demo of each product. You can check out the interface, question quality and usability of our practice exams before you decide to buy.

<http://www.troytecdumps.com>

The best real exam dumps & high-quality Troytec review files

Exam : **VCS-319**

Title : Administration of Veritas
Enterprise Vault 11.x

Vendor : Veritas

Version : DEMO

NO.1 In Outlook, a user sends a manual archiving request on an item and notices that the pending email item is reverted back to its original message class.

What is the likely cause?

- A. the message class IPM.Note* is unselected
- B. the Index Service is stopped
- C. the Exchange Mailbox Archiving task has failed
- D. the Vault Store is in Backup mode

Answer: D

NO.2 An administrator finds several Failed Operations > Copy items when reviewing Operations Manager > Exchange Monitoring > Summary

Why are these items displaying as failed operations?

- A. there are corrupt messages in the user archives
- B. there are corrupt messages in the journal mailboxes
- C. user messages are failing conversion
- D. journal messages are failing conversion

Answer: B

NO.3 Where is an item temporarily stored when Outlook Web Access users open the archived item?

- A. in a temporary folder on the user's computer
- B. in the user's mailbox, in the Restored Items folder
- C. in the TEMP directory on the Enterprise Vault Server
- D. in the user's mailbox, in the Deleted Items folder

Answer: D

NO.4 An administrator is preparing to move the Symantec Enterprise Vault 11.x for Exchange (EV) server to new hardware. The EV indexes and vault stores have been backed up.

Which two customized components of EV should be backed up and available for the move? (Select two.)

- A. the License File
- B. Vault Cache Location
- C. Configuration.exe.config
- D. Mailbox .msg files in \Program Files (x86)\Enterprise Vault
- E. Server Cache Location

Answer: A,D

NO.5 Users who are disabled for Symantec Enterprise Vault 11.x (EV) complain that they see the Enterprise Vault Office Mail App in OWA 2013. What is the possible reason for it?

- A. EV Office Mail App is installed using EV OWA Extensions
- B. EV Office Mail App is deployed for the Organization level in Exchange
- C. EV Office Mail App is installed using PowerShell commands on the EV server
- D. EV Office Mail App is installed using EVPM and OfficeMailAppManifest.xml

Answer: B

NO.6 Which set of logs would best help an administrator troubleshoot Outlook client connectivity issues with the Enterprise Vault server?

- A. the Enterprise Vault Client log and a dtrace log output of the StorageCrawler process on the Enterprise Vault server
- B. the latest Internet Information Services (IIS) log on the Enterprise Vault server and the Enterprise Vault Client log
- C. the latest Internet Information Services (IIS) log on the Enterprise Vault server and the Symantec Enterprise Vault Converters event log on the Enterprise Vault server
- D. the dtrace log output of the StorageFileWatch process and the VaultCachePH.log file from the client computer

Answer: B

NO.7 What must be run to initiate a failover in a building blocks environment?

- A. Global Cluster Option
- B. Getting Started Wizard
- C. Convert to Cluster Wizard
- D. Update Service Locations

Answer: C

NO.8 An administrator has four Enterprise Vault servers (EVSERVER1, EVSERVER2, EVSERVER3 and EVSERVER4) configured for a building blocks configuration. EVSERVER4 belongs to a different Index Server Group.

Which two failover scenarios are possible? (Select two.)

- A. EVSERVER1 can be failed over to EVSERVER2
- B. EVSERVER1 can be failed over to EVSERVER4
- C. EVSERVER4 can be failed over to EVSERVER2
- D. EVSERVER1 and EVSERVER2 can be failed over to EVSERVER3 at the same time
- E. EVSERVER1 and EVSERVER2 can be failed over to EVSERVER4 at the same time

Answer: A,D

NO.9 An administrator needs to remove an Index Server from an Index Server Group and place it in another group.

When can this process be completed?

- A. during the processing time of the Index Administration task
- B. before archived items have been indexed
- C. when the Indexing Service is stopped
- D. after indexes have been put into Backup mode

Answer: B

NO.10 A check of the archive reports shows that only half of the mailboxes are being archived successfully during the scheduled archiving run.

How should the administrator ensure that all of the mailboxes are being archived?

- A. create a new system mailbox and assign it to the archiving task
- B. increase the number of concurrent connections in the archiving task properties from five to ten
- C. increase the number of items per pass from 1000 to 2000
- D. increase the archiving schedule window for the mailbox archiving task

Answer: D

NO.11 For which two platforms is Enterprise Vault Office Mail App available? (Select two.)

- A. Outlook 2013
- B. MS SharePoint 2013
- C. MS Exchange 2013 Hub Transport Server
- D. OWA 2013
- E. Outlook 2010

Answer: A,D

NO.12 Which pre-requisite is necessary for installing Enterprise Vault Reporting?

- A. the Active Directory account used for reporting requires an Exchange Mailbox
- B. log in as the ReportingUser account, and run the Enterprise Vault Management Shell utility once
- C. add the Active Directory reporting account to the Exchange Administrators group
- D. Microsoft SQL Server Reporting Services

Answer: A